

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1798	status with statement	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/01 20:46
L3	963	status near5 statement	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/01 20:46
L4	4	status near5 statement with source adj code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/01 20:46
L5	146	(status with statement).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/01 20:48
L6	18	5 and source adj code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/01 20:48
L7	689	717/110-113.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/01 20:50
L8	4	2 and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/01 20:50
L9	0	"717""."140".ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/01 20:52

## EAST Search History

L10	811	717/140.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/01 20:52
L11	9	2 and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/01 20:52



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

source code statement AND copy | merge | pa

- 2003

[Search](#)

Ad  
Sc  
Sc

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

**Scholar** All articles - [Recent articles](#) Results 1 - 10 of about 40,800 for **source code statement AND**

**All Results**

[J Corbett](#)

[M Fowler](#)

[M Hatcliff](#)

[J Laubach](#)

[S Pasareanu](#)

**[Bandera: extracting finite-state models from Java source code - all 17 versions »](#)**

JC Corbett, MB Hatcliff, J Laubach, S Pasareanu, ... - Software Engineering, 2000.

Proceedings of the 2000 ..., 2000 - [ieeexplore.ieee.org](#)

... checker counter-example traces back to **source code** traces ... Thus, after specialization, a single Java **source** node may ... a program P and some **statements** of interest ...

Cited by 721 - [Related Articles](#) - [Web Search](#)

**[CCFinder: a multilinguistic token-based code clone detection system for large scale source code - all 10 versions »](#)**

T Kamiya, S Kusumoto, K Inoue - Software Engineering, IEEE Transactions on, 2002 - [ieeexplore.ieee.org](#)

... or so) and that the length of this caller **statement** is USELEN ... In this case, vix□g□  
Å □y□□g□ **code** portions are occupied in the original **source** files. ...

Cited by 231 - [Related Articles](#) - [Web Search](#)

**[Using Slicing to Identify Duplication in Source Code - all 11 versions »](#)**

R Komondoor, S Horwitz - Static Analysis: 8th International Symposium, SAS 2001, ..., 2001 - [books.google.com](#)

... Using Slicing to Identify Duplication in **Source Code** 55 our ... clones that involve variable renaming and **statement** reordering ... is a good one; real **code** does include ...

Cited by 102 - [Related Articles](#) - [Web Search](#)

**[DOC: a practical approach to source-level debugging of globally optimized code](#)**

DS Coutant, S Meloy, M Ruscetta - Proceedings of the ACM SIGPLAN 1988 conference on ..., 1988 - [portal.acm.org](#)

... The first instruction generated for a **source statement** will be referred to as a senhy (**statement** entry). ... by a flag which is set by the **code** generator when ...

Cited by 60 - [Related Articles](#) - [Web Search](#)

**[The program dependence graph in a software development environment](#)**

KJ Ottenstein, LM Ottenstein - ACM SIGSOFT Software Engineering Notes, 1984 - [portal.acm.org](#)

... fact sufficient for many optimization and **code** generation algorithms ... selects a variable, expression or **statement** in a ... The augmented **source** file points to the ...

Cited by 399 - [Related Articles](#) - [Web Search](#)

**[\[RTF\] Zstep 95: A reversible, animated source code stepper - all 2 versions »](#)**

H Lieberman, C Fry - Software Visualization: Programming as a Multimedia ..., 1997 - [media.mit.edu](#)

... Rather than inserting breakpoints or print **statements** into the actual **code** ... The top window contained an unmodified **copy** of the **source code**, annotated just by ...

Cited by 48 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)



Google

text editor update OR set source code stateme

Search

[Advanced Search](#)  
[Preferences](#)

**Web Results 1 - 10** of about **160,000** for **text editor update OR set source code statement status** . (0.22 seco

Tip: Save time by hitting the return key instead of clicking on "search"

### Xcode User Guide: Text Editor

Regardless of your choice, Xcode uses a common **text editor** view. .... appear in the Function menu, use the **#pragma mark statement** in your **source code**. ...  
[developer.apple.com/.../Contents/Resources/en.lproj/03\\_03\\_editing\\_editor\\_window/chapter\\_22\\_section\\_2.html](http://developer.apple.com/.../Contents/Resources/en.lproj/03_03_editing_editor_window/chapter_22_section_2.html) - 27k - [Cached](#) - [Similar pages](#)

### [Chapter 23] 23.6 Using SQL to Examine Stored Objects

You can view the **source code** of a stored object with the SQL **statement** shown below. ...  
IF obj\_cur%FOUND THEN **UPDATE SOURCE\$ SET source = REPLACE (source, ...**  
[www.unix.org.ua/oreilly/oracle/prog2/ch23\\_06.htm](http://www.unix.org.ua/oreilly/oracle/prog2/ch23_06.htm) - 27k - [Cached](#) - [Similar pages](#)

### Web Wiz Rich Text Editor - Features

The resulting **source code** is then submitted like any other textarea. Main Features. Web Wiz Rich **Text Editor** is simple to setup but has the power to protect ...  
[www.webwizguide.com/webwizrichtexteditor/features.asp](http://www.webwizguide.com/webwizrichtexteditor/features.asp) - 32k - [Cached](#) - [Similar pages](#)

### Data Structures in the Andrew Text Editor

In the right column are the **editor** working on this document and another **editor** where I am checking **source code**. This article attempts to describe how the ...  
[www.cs.cmu.edu/~wjh/papers/byte.html](http://www.cs.cmu.edu/~wjh/papers/byte.html) - 28k - [Cached](#) - [Similar pages](#)

### SourceForge.net: SET's Editor, a friendly text editor

Perl and a Java **source** file, and the MP3 menu. (Linux/Eterm SETEdit is a friendly **text editor**. It is a **text** mode application with windows, buttons, ...  
[sourceforge.net/projects/setedit/](http://sourceforge.net/projects/setedit/) - 33k - [Cached](#) - [Similar pages](#)

### mozilla.org status update

Akkana Peck has our **Editor update**:: We stabilized M5 and began working on our M6 features (see ... "This week Netscape released the **source code** to Rhino, ...  
[www.mozilla.org/status/1999-5-7.html](http://www.mozilla.org/status/1999-5-7.html) - 23k - [Cached](#) - [Similar pages](#)

### Java Tip 131: Make a statement with javac! - Java World

Next, write the **source code** to the file through a PrintWriter for convenience: ... We found the meaning of each **status code** by decompiling javac , hence we ...  
[www.javaworld.com/javatips/jw-javatip131.html](http://www.javaworld.com/javatips/jw-javatip131.html) - 49k - [Cached](#) - [Similar pages](#)

### RFC 76 (rfc76) - Connection by name: User oriented protocol

Example of User Dialogue Assume a user residing at CAC, whose site **code** is .... **Status Statement** <status statement> ::= **STATUS** <device class> | **STATUS** ...  
[www.faqs.org/rfcs/rfc76.html](http://www.faqs.org/rfcs/rfc76.html) - 28k - [Cached](#) - [Similar pages](#)

### Manifest, GNU Source Code CD-ROM set #16

It works nicely with the Emacs **editor**, offers some nice features such as input ..... VRweb is the only free VRML browser available in full **source code**, ...  
[www.gnu.org/order/sourcemanifest.html](http://www.gnu.org/order/sourcemanifest.html) - 77k - [Cached](#) - [Similar pages](#)

text editor update OR set source code statement status - Google Search

**freshmeat.net: Project details for GTK2 Text Editor**

GTK2 **Text Editor** is a simple Unicode **text editor** that supports many encodings. .... Sure, you can sell binary packages but you must make the **source code** ...

freshmeat.net/projects/gtk2edit/ - 31k - [Cached](#) - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)    **[Next](#)**

---

text editor update OR set source code

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

---

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)